



MARSTEK USB-C Li-ion AA & AAA Battery



USB-C
Direct Charging



Long-Term
Value



Eco-Friendly
Design



USB-C Rechargeable

Faster. Simpler. More Convenient.



Long-Lasting Value

Up to 1,500 Charge Cycles



MARSTEK Li-ion



1500
Alkaline Battery


High Capacity Long Storage Life

AAA Battery


930mWh

AA Battery

3700mWh




MARSTEK Li-ion



Ni-MH Battery

Retains 80% Capacity after 3 Years Storage


Comprehensive Security Protection



By Ultra-Safe Battery &
Intelligent BMS

Stable Voltage Discharge

1.5 V Constant Output



Lithium Battery

Ni-MH Battery

Alkaline Battery



1500 Times Value in One Battery

Rechargeable. Cost-Saving. Eco-Friendly.



1500

Alkaline Battery

MARSTEK Li-ion Battery



Recyclable



No Mercury or Cadmium

USB-C Rechargeable Faster. Simpler. More Convenient.

Charge Directly from Any USB-C Port





4 IN 1

4-in-1 Charging Cable

Charge multiple devices with a single cable

Full Charge at 4 Times Efficiency

4-in-1 Charging Cable Fills Multiple Batteries at Once


3 Hours

AA Battery

2 Hours


AAA Battery





MARSTEK Li-ion

Retains 80% Capacity after 3 Years Storage



Ni-MH Battery

High Capacity Long Storage Life

AAA Battery

930mWh


AA Battery

3700mWh

*Data from MARSTEK Lab. Actual capacity may vary depending on usage and environment.

Stable Voltage Discharge

1.5V Constant Output Ensures Device Efficiency and Extends Lifespan.



Lithium Battery

Ni-MH Battery

Alkaline Battery



Reusable & Widely Compatible



Outperforms in Lasting

		MARSTEK Li-ion	Regular Ni-MH Battery	Alkaline Battery
	Wireless Mouse	✓ 62.9 h	51.0 h	48.5 h
	Game Controller	✓ 21.0 h	17.0 h	16.2 h
	Portable Microphone	✓ 3.9 h	3.2 h	3.0 h
	Calculator	✓ 104.8 h	85.0 h	80.8 h

*Data from MARSTEK Lab. Actual runtime may vary depending on device power consumption and battery aging.

Charging Status Display

Battery Status at a Glance



Flashing Green
Charging




Solid Green
Fully Charged



Comprehensive Security Protection


By Ultra-Safe Battery & Intelligent BMS



4
Strict Safety Tests




6
Types BMS Protections



International Quality Certifications

Leak- and Explosion-Proof

Enhanced Safety for Peace of Mind



Discharge Temp Down to -20°C

Reliable Performance in Extreme Cold



Easy Storage Neat & Organized





Spec.

Battery Model	AA5070C
Ports	Type-C × 1, Polarity + × 1, Polarity – × 1
Capacity	3700mWh
Nominal Voltage	3.7V
Type-C Input	5V / 320mA
Output	1.5V / 1000mA (max. 3000mA)
Dimensions	50 × 14mm
Weight	19.1 ± 0.5g



Spec.

Battery Model	AAA7018C
Ports	Type-C × 1, Polarity + × 1, Polarity - × 1
Capacity	930mWh
Nominal Voltage	3.7V
Type-C Input	5V / 180mA
Output	1.5V / 250mA
Dimensions	44 × 10mm
Weight	8 ± 0.5g

THANKS!

Contact Us

Mail: info@marstekenergy.com

Web: marstekenergy.com



Facebook



Youtube