



Smart TFT Display Power Bank with Detachable C2C Cable

P326D/P327D



Real-Time Battery Status Monitoring &
IPX7 Waterproof Design





Smart TFT Display

Clearly shows battery level, charging/discharging status and power, keeping you informed anytime.



MARSTEK
Power Anywhere & Anytime

IPX7 Waterproof Protection for Reliable Use

Ideal for hiking, boating, or fishing - keeps your power safe from water.



Detachable Braided C2C Cable That Doubles as a Carry Strap

Compact. Durable. Two uses in one.




Anti-Slip Silicone Base for Stable Placement




Smaller than a Coke Can



P326D



P327D



Coke Can

Dual USB-C Ports for Simultaneous Charging

Power up two devices at once.



MARSTEK

Power Anywhere & Anytime

**Up to 65W
Single-Port
Fast Charging**



MARSTEK


Power Anywhere & Anytime

Wide Compatibility with Major Fast-Charging Standards

PD / QC / FCP / AFC / SCP /
Apple 2.4 A/ UFCS / DCP / AVS



FCP



SCP (Huawei)



One Bank with Multiple Smart Functions



Pass-through Charging

Charge your devices while powering up the bank.



Low Current Mode

Perfect for small devices like earphones and smart bands.



Smart Charging Stage Detection

Automatically switches between high-power and trickle charging.

Pick Your Power

Choose what fits your lifestyle.



10,000mAh/45W



20,000mAh/65W



MARSTEK
Power Anywhere & Anytime

Safe to Carry on Board Perfectly Designed for Air Travel



Airline-Approved

Built-in Safety System for All-Round Protection

Certified for Worldwide Standards.



24/7 Temperature Monitoring with NTC Sensor

Keeps preventing overheating around the clock.



UL 94 V-0 Rated Fire-Retardant Materials Build




RoHS Certified Eco Materials for Non-toxic Use

Safe. Sustainable.



Outdoors. Office. Home. Always Charged.

Power your day, anywhere you go.





Model: P326D

Ports: 2× USB-C

Capacity: 10,000mAh / 3.6V (36Wh)

USB-C1/C2 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

Total Output: 5V/4.8A (Max 24W)

Dimensions: 96 × 48 × 27 mm

Weight: 248 ± 10 g



Model: P327D

Ports: 2× USB-C

Capacity: 20,000mAh / 3.6V (72Wh)

USB-C1/C2 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

Total Output: 5V/4.8A (Max 24W)

Dimensions: 96 × 47 × 47 mm

Weight: 480 ± 10 g

Thank you for watching!